



**New ultrasonic fog sterilizer disinfectant
sterilization machine for
trampoline indoor parks use**







1. Automatic induction, automatic humidity control;
2. The fog outlet can be connected with PVE pipe, increase the humidifying area.
3. Automatic water inflow, automatic water overflow protection, and water shortage protection.
4. Small fog and high humidification efficiency, widely used in various industries and air disinfection.
5. For disinfection use, make sure 1 percent sodium hypochlorite, 150 percent water mix=0.67% of sodium hypochlorite.

Product Show


Whole Machine



Hose



Universal wheels



Features



**1、Anti-rust and anti-corrosion
ABS material is safe
and durable .**

**2、
Cost-effective, independent
industrial-grade atomizing head,
a wider range of
atomizing particles**





3、 Two levels to adjust the amount of fog, evenly distributed, effective sterilization

4、 Hose assembly with direct access to the attachment surface



5、 Swivel wheels are easy to move

Steps

1

Prepare a clean bucket of pure water



2

Use a Phillips screwdriver to remove the cover plate screws above the atomizing port at one time



3

Use a sponge to clean the atomizing channel tube and the atomizing port. After wiping, load the cover on the atomizing port.



4

Disinfectant to water ratio 1: 4



5

Shake the bucket of pure water, fully dilute and dissolve



6

Put the diluted pure water bucket on the machine, leave it for 1-3 minutes, and then turn on



7

Then adjust it as you want



Please leave your contact information, our team will reach you in 24h ours. If you send us your logo, we would provide you free design and sample to your door.